CAPTIVA
CUSTOM WOOD DOORS MADE IN SOMERSET, MA

CAPTIVA

ALLOW YOURSELF TO BE CAPTIVATED. DISCOVER DOORS THAT ARE DIFFERENT FROM THE INSIDE OUT. BEAUTIFUL WOOD DOORS THAT ARE MADE WITH ONLY THE FINEST HAND-SELECTED MATERIALS AND ARE CONSTRUCTED USING A BALANCE OF OLD WORLD CRAFTSMANSHIP COMBINED WITH STATE-OF-THE-ART TECHNOLOGY. EVERY CAPTIVA DOOR IS CUSTOM MADE TO EXACT SPECIFICATIONS TO BE PERFECT EVERY TIME, A DOOR THAT WILL BE CHERISHED AND ADMIRED FOR YEARS TO COME.

> We keep moving forward, opening new doors, and doing new things, because we're curious and curiosity keeps leading us down new paths.
>
> - Walt Disney

CAPTIVA

Handcrafted in New England, which is synonymous with “Old World” traditions and fine, detail-oriented architecture, Captiva Wood Doors are built to your specifications. Creating a fusion of traditional woodworking techniques and technology, Captiva Wood Doors offer thousands of possibilities.

Artistic consciousness with the look and feel of quality is easy to recognize on our doors. We offer stave core construction, premium thickness veneers, traditional stile and rail construction, and superior panel design, as well as a choice between mortise and tenon and our very own “beaded” tenon. All pieces are hand fit together with the industry's finest adhesives on all connections.

Backed by our extensive warranty, these doors are both beautiful and exceptionally built with the next generation of owner in mind.

Table of contents.

Made in U.S.A.	4
Steps to Designing Your Door	6
Anatomy of a Door	7
Door Shapes and Thicknesses	8-9
Door Construction	10-11
Wood Species	12
Quick Ship Program	13
Panel and Sticking Options	14-15
Panel Doors	16-21
Louver Doors	21
Glass Door Options	22-23
Specialty Glass	24
Glass Doors	25-30
Modern Collection	32-35
Grooved and Beaded Doors	36-37
Double Door Arched Pairs	38-39
Barn Doors and Hardware	40-42
Dutch Doors	43
Sidelites	44-47
Transoms	48-49
Fire Doors	50-51
Screen and Storm Doors	52-54
Custom Designs	56
Door Comparison Chart	57
Jambs, Casings and Sills	58-59
Hardware	60-64
Commercial Capabilities	65
Prefinishing	66-67
Warranty	68-69
Use and Care Guide	70
Architectural Specs	71

On the cover: 8009V with 8706V Sidelites, Sapele Mahogany

Inside front cover: Custom Designed Double Door Unit and Custom Transom, Sapele Mahogany

WWW.CAPTIVACUSTOM.COM

Made in U.S.A.

CAPTIVA

ALL CAPTIVA WOOD DOORS ARE ENGINEERED AND HANDCRAFTED TO ORDER AT OUR MANUFACTURING FACILITY IN SOMERSET, MA. WHEN YOU CHOOSE A CAPTIVA WOOD DOOR, NOT ONLY ARE YOU GUARANTEED A HANDMADE DOOR THAT WILL ADD BEAUTY TO YOUR HOME FOR YEARS TO COME, YOU ARE ALSO HELPING TO EMPLOY LOCAL CRAFTSMEN AND ARTISANS.

"If opportunity doesn't knock, build a door. - Milton Berle"

Designing your custom door.

EVERY CAPTIVA WOOD DOOR STARTS EXACTLY THE SAME: WITH THE HIGHEST QUALITY MATERIAL AND CONSTRUCTION. WHAT MAKES A DOOR UNIQUE ARE THE CHOICES YOU MAKE. EACH DOOR IS CUSTOM BUILT TO EXACT SPECIFICATIONS. WE OFFER INTERIOR AND EXTERIOR PANEL DOORS, GLASS DOORS, BARN AND SLIDING DOORS, DUTCH DOORS, SCREEN AND STORM DOORS.

CONFIGURATION

1

- Door Shape
- Sidelites
- Transom

CONSTRUCTION

2

- Joinery
- Veneer
- Door Thickness

SPECIES

3

- Wood Species

PANEL AND STICKING

4

- Standard Profile
- Custom Profile

GLASS

5

- Clear
- Decorative
- Pane Thickness
- Muntin Bars

FRAME SYSTEM

6

- Jamb
- Sill
- Casing
- Trim

HARDWARE

7

- Residential
- Multipoint
- Electronic
- Commercial

FINISHING

8

- Clear Coat
- Primed
- Stain
- Paint

WARRANTY

9

- Standard
- Extended

Not sure where to begin? Scan the QR code to visit our online photo gallery and get inspired.

CAPTIVA

CAPTIVA

Anatomy of a door.



Glossary of terms.

Joinery
The method used to join the door stiles to the top, bottom, and lock rails. Examples include mortise & tenon, dowels, beaded mortise & tenon, lag screws or bolts. *See page 10 for more information.*

Lites
A framed opening in a door containing a pane of glass. *See pages 22-24 for glass options.*

Muntin Bars
The narrow horizontal and/or vertical bars in a door lite that separate the individual panes of glass. *See page 23 for muntin bar options.*

Panel Profile
The dimensional shape exposed edge of the outside perimeter of the panel. *See page 14 for panel profile options.*

Panels
The solid sections for the doors that are framed by the stiles and rails. *See page 14 for panel options.*

Rails
The horizontal components located at the top, bottom, and mid-sections of the door that extend between the stiles and frame the panels and lites.

Sticking
The profile that is moulded into the stiles and rails to frame and encase the panels or lites. *See page 15 for sticking options.*

Stiles
The vertical components located at the left and right edges of the door.

Door shapes.

CAPTIVA



S **Square** | A **Arch** | R **Round**

TAKING INTO CONSIDERATION THE ARCHITECTURAL STYLE OF YOUR HOME OR THE LOOK THAT YOU WANT TO ACHIEVE, CAPTIVA WOOD DOORS ARE AVAILABLE IN OUR STANDARD SHAPES OF SQUARE, ARCHED OR ROUND. WE ALSO MAKE CUSTOM DOOR TOP SHAPES WHICH ARE OFTEN USED IN CHURCHES, REPRODUCTION PROJECTS, COMMERCIAL APPLICATIONS OR HOMES THAT REQUIRE A TRULY UNIQUE LOOK.

Custom Designed Double Door Units

8633A Door, Sapele Mahogany

Clipped Corner Doors
To maximize architectural integrity, Captiva Wood Doors are also available with clipped corners for doors that meet an angled ceiling (such as in an attic or under a stair).

Thickness/interior & exterior.

THERE ARE NO SUBSTITUTES FOR WOOD DOORS. THE STURDY MATERIALS USED ARE EXPENSIVE INITIALLY, BUT THEY PAY FOR THEMSELVES IN BUILDING CHARACTER AND DURABILITY IN THE LONG RUN. NATURAL BUILDING MATERIALS LIKE WOOD HAVE AN ORGANIC BEAUTY THAT CANNOT BE REPRODUCED BY SYNTHETIC SUBSTITUTES.

Modified 8347 Double Door Unit with
Special Order Wrought Iron Grill, Sapele Mahogany

Modified 8009 Interior Door, Sapele Mahogany



Interior and Exterior Doors
To help you coordinate all of the doors in your home, Captiva doors are made for both interior and exterior use. Builders, architects, and designers often consider the interior and exterior doors as two different design elements. Captiva allows both the interior and exterior doors to be supplied by one manufacturer with matching details in panels, sticking, and species. As pictured above, matching the species of wood for all your doors, even if the individual designs of the door are not the same, will give you a unified look throughout the home while maintaining visual interest.

Door Thickness
We offer three standard door thicknesses: 1-3/8", 1-3/4", and 2-1/4". Our 1-3/8" doors are recommended and warranted for interior use only. Custom thicknesses also available.

Door construction.

CAPTIVA

WE ARE PROUD TO OFFER TWO SERIES OF CAPTIVA WOOD DOORS. OUR CAPTIVA SELECT DOORS OFFER YOU ALL THE WELL-CRAFTED BEAUTY OF THE FINEST WOOD DOOR WITH A TWO YEAR WARRANTY. OUR CAPTIVA TRADITIONAL DOORS ARE CONSTRUCTED THE WAY CRAFTSMEN HAVE BEEN MAKING DOORS FOR CENTURIES, USING TRADITIONAL MORTISE AND TENON JOINERY. TRADITIONAL SERIES DOORS ARE BACKED BY A FIVE YEAR WARRANTY. SOME TRADITIONAL DOORS MAY BE RUN ON THE CNC DUE TO MULTIPLE CURVED RAILS IN THE DESIGN. THESE DOORS WOULD STILL HAVE 1/4" VENEERS, 5 YEAR WARRANTY AND STAVE CORE RAILS IF POSSIBLE.

Captiva Select Doors

Constructed to the highest specifications, these doors use state-of-the-art beaded mortise and tenon joinery combined with stave core stiles and solid rails to ensure that every door is straight and true for years.

Beaded Mortise and Tenon
Tight fitting beaded mortise and tenon joinery is far superior to the doweled joints that most other door manufacturers use. Our beaded mortise and tenon provides more surface area for glue adhesion vastly increasing the strength of the joint.

Stave Core Stiles with 1/8" Veneers

Solid Rails
Optional stave core rails available

2 Year Warranty, (10 Year for Interior Doors)
(See pages 68-69 for warranty details)

Captiva Select doors meet AWI Premium standards and specifications when book match panels are specified.

Captiva Traditional Doors

With traditional mortise and tenon joinery, stave core stiles and rails, and 1/4" veneers, and these doors are made for the purest who appreciates a door that is made using classic door making methods.



Traditional Mortise and Tenon
Simple and strong, the mortise and tenon joint has been used for millennia by woodworkers around the world to join two pieces of wood. We've kept up the tradition by using this time tested method of joinery in our Captiva Traditional series doors.

Stave Core Stiles with 1/4" Veneers

Stave Core Rails with 1/4" Veneers

Solid Cap on Top Stiles Hides the Stave Core

5 Year Warranty, (10 Year for Interior Doors); *10 Year Extended Warranty available (See pages 68-69 for warranty details)*

Captiva Traditional doors meet AWI Premium standards and specifications when book match panels are specified.

Standard Stile and Rail Dimensions
To the right please find the standard stile and rail dimensions that we use when constructing our Captiva Select and Traditional doors. If your project requires specific dimensions, we will be happy to modify these dimensions for our Captiva Traditional series doors.
Note: Dimensions include sticking. Certain hardware and prep requires larger stiles (i.e. mortise pockets). Doors built below standard dimensions may void warranty.



8030 Double Doors with 8751 Transom, Mahogany

Stave Core Construction
This environmentally friendly method of construction uses laminated, stable, wood core sandwiched between solid veneers and matching edges for a stile and rail that are superior for preventing warping or distortion. Traditional Series doors have a solid wood top rail cap on stiles for a finished look. (Not available on Select Series).

Details Matter. A solid cap hides the core on top stiles; standard on Traditional Series doors only.

Captiva Flush Doors

With no stile or rail, Captiva Flush Series doors are constructed with a plywood core, hardwood edges and 1/4" wood veneers. For crossbuck or other details, panels are inlayed to create a stronger bond, and make the door more resistant to water damage. 5 Year Warranty

Wood species.

CAPTIVA

EVERY CAPTIVA DOOR BEGINS WITH PREMIUM SELECT GRADE LUMBER. WE METICULOUSLY GATHER WOOD FROM AROUND THE GLOBE TO ENSURE THAT EVERY DOOR THAT WE MAKE IS OF THE HIGHEST QUALITY. WE STRIVE TO PURCHASE WOOD PRODUCTS MADE FROM LUMBER HARVESTED IN A SUSTAINABLE MANNER AND CERTIFIED BY A RELIABLE THIRD PARTY SUCH AS FSC OR SFI. THE BOARDS AND VENEERS THAT GO INTO CONSTRUCTING EACH DOOR ARE HAND SELECTED SO THAT GRAIN AND COLOR ARE CONSISTENT.

Interior and exterior use

Sapele Mahogany (or Utile)*
Sapele and Utile are very similar to Honduras Mahogany with a regular striped pattern and a dark red-brown color and finishes easily and smoothly. Sapele is used for Paint Grade doors and Utile is used for Stain Grade.

Spanish Cedar
This hardwood varies from light to dark reddish brown. The texture is rather fine and uniform to coarse and uneven. Spanish Cedar is considered naturally decay resistant.

Fir
This is a dimensionally stable wood with a straight grain, uniform in color, pattern and texture. Its light warm hue will become more red with age. Fir stains easily and smoothly.

Eastern White Pine
This softwood is light brown in color, often with a reddish tinge and turns darker on exposure to air. Eastern White Pine features a comparatively uniform texture and is straight grained.

White Oak/Quarter Sawn White Oak
White Oak is primarily warm in color with a hint of ash. It's grain pattern varies from straight and tight to arched and dramatic. White Oak stains well for an excellent finish.



Reclaimed Wood
Reclaimed wood is seasoned lumber that has been salvaged from abandoned barns, factories and industrial buildings. Some common types are: pine, elm, cherry, chestnut, walnut, hickory, maple, and quartersawn oak.

Special Species Requests
When your project requires a specific species not listed above, let us call on our lumber suppliers from all over the globe to find it.

Interior use only



Poplar
This hardwood is light in color and may feature dramatic dark color variations. Poplar is mostly painted or used with dark stains.

Red Oak
The texture of Red Oak features a very strong grain pattern which ranges from fine, straight, and close to spread and pronounced. Red Oak stains well for an excellent finish.

Maple
Maple is strong and hard with a uniform color, texture, and grain. It sometimes features areas with dark streaks and birds-eye or worm track patterns. If left clear, maple may yellow with age.

Cherry
Cherry is characterized by its warm color, smooth texture and straight, fine, and tight grain. Cherry may contain some sapwood and/or pin knots and will darken over time.

Ash
Ash ranges in color from brown to nearly white and may display a dramatic grain pattern. It is popular in woodworking because it is heavy, strong, hard, and stiff..

Walnut
Walnut is characterized by its beautiful grain lines running throughout and its dark brown color. Walnut veneers may be laminated for width and contain some sap grain and pin knots.



Knotty Alder
This softwood is characterized by its warm yellow to reddish brown color, even texture, straight grain and tight knots throughout.

*Sapele and Utile (also known as Sipo) are closely related to Genuine Mahogany and widely used in window and door manufacturing.

Over 100 styles to choose from available in 3 weeks or less...

8334 Door, Fir

Quick Ship Doors

Look for the Quick Ship logo when choosing your Captiva Wood Doors. When these door styles are ordered in our Captiva Select Series and combined with the options listed below, they are available in three weeks or less.

Species:

Sapele Mahogany | Fir | White Oak | Poplar *Interior only*

Panel Options:
All panels options shown on page 14 are available on quick ship doors.

Sticking Options:

Ovolo



Square

Glass Options:
Clear Single Strength
Clear Insulated
Low-E

Muntin Bars:



Ovolo 1-3/8" TDL



Ovolo 1-3/8" SDL

Door Heights:
6'8", 7'0", 8'0"

Door Widths:
2'0" thru 3'6" (2" increments)

Door Thickness:
1-3/4"

Note: Three week lead time available in limited quantities.

Panel options.

Captiva offers a large selection of panel profile options for all of our wood doors. Each door style is available in the panel options shown. We can also match an existing panel or create a custom design.



Bevel Panel



Ogee Panel



Scoop Panel



Bevel Panel with V-Groove



Bevel Panel with Bead



Flat Panel



5/8" Flat Panel with 1/8", 1/4" OR 3/8" Square Groove*



5/8" Flat Panel with V-Groove*



5/8" Flat Panel with Bead*



Double Panel Design

Our double panel technology virtually eliminates cracking panels by allowing independent movement of wood surfaces exposed to different humidity and temperature conditions on each side of the door. The implementation of our double panel design on all our raised panel doors has enhanced their appearance and performance, especially doors used in exterior applications. We are able to offer many doors with different species on each door face. For paint-grade doors, panels will be constructed from Extira (exterior doors) or MDF (interior doors) for greater performance unless otherwise specified.



***Back to Back Flat 'V', 'S', 'B' for exterior use**

Sticking options.

Captiva offers a wide array of sticking profile options for all of our wood doors. Each door style is available in the sticking options shown or if you are looking for something custom, we can build it.



Ovolo Sticking



Square Sticking



Bevel Sticking



Applied Moulding



Bolection Moulding

Common panel and sticking combinations:



Ovolo Sticking with Bevel Panel

Square Sticking with Flat Panel



Ovolo Sticking with V-Groove Bevel Panel



Bolection Moulding Sticking with Bevel Panel

Custom panel or sticking.

If you do not see a panel or sticking option that meets your requirements, send us a sketch and we will match it.



Custom Designed Door and Sidelites,
Custom Glass, Sapele Mahogany

Panel doors.

THE CLASSIC PANEL DOOR. WITH OVER ONE HUNDRED PANEL DOOR DESIGNS TO CHOOSE FROM, ALLOW YOUR IMAGINATION TO RUN WILD. ALL OF OUR PANEL DOOR DESIGNS ARE AVAILABLE IN BOTH OUR SELECT AND TRADITIONAL SERIES AND ARE WELL SUITED FOR BOTH INTERIOR AND EXTERIOR USE. IF YOU DON'T SEE THE DESIGN YOU'RE LOOKING FOR, PROVIDE US WITH A DRAWING, PHOTOGRAPH, OR ROUGH SKETCH AND WE WILL CUSTOM DESIGN THE DOOR OF YOUR DREAMS. WHEN YOU CHOOSE CAPTIVA WOOD DOORS, THE POSSIBILITIES ARE ENDLESS.

CAPTIVA

Panel door designs.


8001


8002


8003


8003A


8004R


8005


8006


8006A


8007


8008


8009


8009A


8010


8011


8014R


8015


8015A


8016

Quick Ship, see page 13 | A Arched Top available | S Square Top available | R Round Top available | Double Door Arched Pair available, see pages 38-39



8017



8018A



8019



8020



8021



8021A



8022



8023



8024



8025



8025A



8026



8027



8028



8029



8030



8031



8032



8033



8034R



8035A



8036



8037



8038



8039



8039A



8040



8041



8042R



8043



8044



8045



8045A



8046



8046A



8047



8047A



8048A



8049



8050



8051



8052



8053



8054



8056



8057



8058



8059

Quick Ship, see page 13 | Arched Top available | Square Top available | Round Top available | Double Door Arched Pair available, see pages 38-39



8060



8061



8062



8063



8063A



8064



8065



8066



8067



8068



8069



8070



8070A



8071



8072



8073



8074



8075



8076



8076A



8077



8078



8079



8080



8081



8082



8083R



8084



8085



8086



8086A



8087



8088



8089



8090



8091

CAPTIVA

Louver doors.

Available with square sticking only.



Vented Louver



False Louver



8140



8141



8142



8143

Quick Ship, see page 13

Square Top available

Arched Top available

Round Top available

Double Door Arched Pair available, see pages 38-39

> The closing of a door can bring blessed privacy and comfort – the opening, terror. Conversely, the closing of a door can be a sad and final thing – the opening a wonderfully joyous moment.
>
> - Andy Rooney

8601 Double Door Units with 8751 Transoms, Sapele Mahogany

Glass doors.

Single Pane Glass
Suggested for interior use only, our 1/8" single strength tempered glass is available for all our glass door designs (see opposite page for details and availability).

Insulated Glass
For exterior applications, we use 5/8" tempered insulated glass with optional LoE and/or argon gas. Choose between True Divided Lite and Simulated Divided Lite (see opposite page for details and availability).

Muntin Bars
With three profiles to choose from — Ovolo, Square, and Bevel — muntin bars typically match the door's sticking (see opposite page for details and availability).

Decorative Glass
When your project requires a special order decorative glass, provide us with a sketch, picture, or idea and we will call on our glass suppliers from around the country to find the particular glass that you desire.

CAPTIVA

Glass options.



Insulated Glass
True Divided Lite (TDL)

Insulated Glass
Simulated Divided Lite (SDL)
Captiva Select Doors only

Single Pane Glass
True Divided Lite (TDL)

Muntin bar options and availability.



Door Thickness	1-3/4" Doors				2-1/4" Doors				1-3/8" Doors			
Muntin Bar Width	1-3/8"	1-1/8"	1"	7/8"	1-3/8"	1-1/8"	1"	7/8"	1-3/8"	1-1/8"	1"	7/8"
Captiva Select Doors												
True Divided Lite with Insulated Glass	O B S	O B S	O B S		O B S	O B S	O B S		S	O S	O S	
Simulated Divided Lite with Insulated Glass				O B S				O S				
True Divided Lite with Single Pane Glass	O B S	O B S	O B S		O B S	O B S	O B S		S	O S	O S	S
Captiva Traditional Doors												
True Divided Lite with Insulated Glass	O B S	O B S	O B S		O B S	O B S	O B S		S	O S	O S	
True Divided Lite with Single Pane Glass	O B S	O B S	O B S	O S	O B S	O B S	O B S	S	S	O S	O S	O S

O = Ovolo Sticking, B = Bevel Sticking, S = Square Sticking

Specialty glass options.

CAPTIVA

SPECIALTY GLASS CAN PROVIDE PRIVACY, FILTER LIGHT OR SIMPLY MAKE A DRAMATIC STATEMENT. BELOW ARE SOME OF THE MOST POPULAR STYLES OF SPECIALTY GLASS FROM ARCHITECTURAL GLASS EFFECTS. FROM TRADITIONAL TO MODERN, OUR GLASS SUPPLIERS HAVE HUNDREDS OF STYLES TO MEET YOUR NEEDS.

Frosted

Bevel

Bark

Chinchilla

Ribbed


Everglade


Spotlite

Stippolite

Crepe

Eng Flemish


Glue Chip

Double Chip

Rain

Mirage

Cobblestone

Linen

Water

FSA

Drift

Loom

Bamboo


Soft Cord


Aqui


Confetti



8601



8602 R



8602R S



8603 A



8603A S



8604



8605



8606



8607



8608



8609



8610



8611



8612



8613



8614



8615



8616A S



8617



8618



8619



8620



8621



8622

Quick Ship, see page 13 | A Arched Top available | Double Door Arched Pair available, see pages 38-39

S Square Top available | R Round Top available | *Not available with SDL internal spacer.



8623



8624



8625



8626



8627



8628R



8629



8630



8630A



8631



8632



8633



8633A



8634R



8635



8636



8637



8638



8639



8639A



8640R



8641



8641A



8642



8643* R



8643R* S



8301



8302A S



8303R S



8304



8305A S



8306R S



8307



8308A S



8309R S



8310A S



8311R S



8312A S



8313R S



8314



8315



8316 A



8316A S



8317R S



8318 A



8318A S



8319R S



8320

Quick Ship, see page 13 | A Arched Top available | Double Door Arched Pair available, see pages 38-39

S Square Top available | R Round Top available | *Not available with SDL internal spacer.



8321



8322



8323



8324



8325



8326



8327



8328



8329



8330



8331



8332



8333



8334



8335



8336



8337



8338



8338A



8339



8339A



8340



8341



8342



8343



8344



8345



8346



8347



8348



8349*



8350



8351



8352



8353



8354



8355



8356



8357



8357R



8358



8359



8360



8361



8362



8363



8364



8365

Quick Ship, see page 13

A Arched Top available

Double Door Arched Pair available, see pages 38-39

S Square Top available

R Round Top available

*Not available with SDL internal spacer.



8366



8367



8368* R



8369



8370



8371



8372



8373 A



8373A S



8374



8375 A



8376



8377 A



8377A S



8378



8379 A



8380



8381 A



8382



8383



8384



8385 A



8386



8387

Quick Ship, see page 13

A Arched Top available

Double Door Arched Pair available, see pages 38-39

S Square Top available

R Round Top available

*Not available with SDL internal spacer.

Modified 8372 Door, Modified 8708 Sidelites and Modified 8756 Transom, Sapele Mahogany

Custom Designed Door, Sidelites and Transom, Sapele Mahogany

8372 Door with Custom Sidelites, Sapele Mahogany

Modified 8009 Double Door Unit, Sapele Mahogany



Custom Door and Sidelites, Bullseye Glass, Sapele Mahogany

8039A Door with Custom Sidelites, Sapele Mahogany



8009A Door with Custom Sidelites, Sapele Mahogany

photo by Richard Mandelkorn

Captiva modern collection.

THE CAPTIVA MODERN COLLECTION OFFERS CLEAN LINES AND CONTEMPORARY PATTERNS WITHOUT SACRIFICING THE BEAUTY AND WARMTH OF A WOOD DOOR. DEPENDING ON THE DESIGN, THESE DOORS ARE EITHER STILE AND RAIL CONSTRUCTION OR FLUSH CONSTRUCTION. FLUSH DOORS ARE AVAILABLE AS SQUARE-GROOVED ONLY.

CAPTIVA

Modern door designs.

The following designs are only available in Square Groove. See page 36 for detailed image.
Stile and rail construction unless otherwise noted as Flush (F).


8093 *F*


8094 *F*


8095 *F*


8096 *F*


8097 *F*


8098 *F*


8122


8123


8124


8125


8126


8127


8128


8129


8435


8436


8437


8438

F - Flush construction



8439



8440



8441



8442



8443



8444



8398



8399 *F*



8400 *F*



8401



8402 *F*



8403



8404



8405



8406 *F*



8407 *F*



8408



8409 *F*



8410 *F*



8411 *F*



8412 *F*



8413



8414



8415 *F*



8416 *F*



8417



8418



8419 *F*



8420 *F*



8421 *F*



8422 *F*



8423 *F*



8424



8425 *F*



8426 *F*



8427 *F*



8428



8429 *F*



8430 *F*



8431 *F*



8432 *F*



8433



8434

F - Flush construction

Grooved and beaded panels.

CAPTIVA

Custom Arched Pair, Beaded, Painted

Square Groove

V-Groove

Beaded

Grooved and Beaded
Add craftsman style to your door with our Square Groove, V-Groove or Beaded panel option. The panels of any door that we offer can be carved with this decorative option. See the opposite page for a handful of door designs that are commonly given Square Groove, V-Groove or Beaded panels.

Note: For exterior flat panel doors, the groove or bead will stop short of the rail.

Ordering information
When specifying Square Groove, V-Groove or Beaded Panels, use the letter "S" after the door style number for Square Groove, the letter “V” after the door style number for V-Groove panels and the letter “B” after the door style number for Beaded Panels.



8150S/V/B *F*



8001S/V/B



8003S/V/B



8007S/V/B



8009S/V/B



8020S/V/B



8021S/V/B



8021AS/V/B S



8314S/V/B



8316S/V/B



8316AS/V/B S



8333S/V/B



8338S/V/B



8388S/V/B



8389S/V/B



8389AS/V/B S



8390S/V/B



8391S/V/B



8392S/V/B



8393S/V/B



8394S/V/B



8704S/V/B



8706S/V/B



8707S/V/B



8708S/V/B

Quick Ship, see page 13 | Arched Top available | *F - Flush construction*

Square Top available | Round Top available | Double Door Arched Pair available, see pages 38-39

Double door arched pairs.

CAPTIVA

Custom Designed Double Door Unit, Sapele Mahogany

Custom Designed Double Door Unit

A perfectly matched pair
When creating a double door entrance unit, give it a distinctive look with a Double Door Arched Pair. Instead of simply putting two identical doors side-by-side, Double Door Arched Pairs complement each other beautifully and add architectural interest to your home.

Look for this symbol below the door designs throughout this catalog to know which doors are available as a double door arched pair.

Panel Doors


8015AP


8034RP


8039AP


8042RP


8045P


8045AP


8046P


8046AP


8063P


8063AP


8303P


8303RP


8310AP


8309P


8309RP


8316P


8316AP


8603P


8603AP


8604P

Glass Doors


8616P


8616AP


8641P

P = Pair AP = Arched Pair RP = Round Pair

CAPTIVA

8107 Door, Reclaimed Pine with Flat Track Leatherneck Hardware
photo by Leatherneck Hardware

Barn doors.

Sliding Doors and Hardware
The only rule for Barn Doors is there are no rules; cover the hardware with trim or show it off, mix a reclaimed wood door with modern stainless steel hardware—there are so many design combinations to fit your style and décor.

Please note the following page shows traditional barn door styles; nearly every Captiva door panel in this catalog can be modified for a sliding application.

Crossbuck Detail (exterior side)
We inlay the crossbuck panels on the exterior side, creating a stronger bond and making them more resistant to water damage.

The following designs are only available in Square Groove. See page 36 for detailed image. Stile and rail construction unless otherwise noted as Flush (F). All styles below available as sliding (barn) or swinging use.



8096 *F*



8099 *F*



8100 *F*



8101 *F*



8102 *F*



8103



8104 *F*



8105



8106



8107 *F*



8108 *F*



8109



8110



8111 *F*



8112 *F*



8113 *F*



8114



8115



8116



8117



8118



8119



8120



8121

F - Flush construction

Barn door hardware.

Flat Track Hardware,
Powder Coated Black

Hafele Hardware,
Stainless Steel

Pemko Hardware,
Stainless Steel

FLAT TRACK
HARDWARE

FLAT TRACK BY LEATHERNECK

Flat Track Hardware styling dates back to the turn of the century when it was used in warehouses and in industrial settings. Today the highly stylized look is perfect for unique interior and exterior applications. Flat Track Harware can be customized for specific applications and can save space while enhancing any door opening.

HÄFELE

HAFELE HARDWARE

Modern stainless steel barn door hardware available for wood barn doors or glass barn doors.

acme®

ACME HARDWARE

Acme offers 3 strap hardware styles for barn doors in Stainless Steel, Matte Black and Bronze finishes.

PEMKO
ASSA ABLOY

PEMKO HARDWARE

Pemko offers a vast array of sliding door hardware options for many commercial applications.

CAPTIVA

Dutch doors.

CAPTIVA DUTCH DOORS ARE BOTH FUNCTIONAL AND BEAUTIFUL. THEY CAN KEEP CHILDREN AND PETS SAFELY ENCLOSED WHILE LIGHT AND AIR CIRCULATE, AND ADD COLONIAL NEW ENGLAND CHARACTER TO YOUR HOME. WE HAVE ACCESS TO A RANGE OF TRADITIONAL, RUSTIC AND CONTEMPORARY HARDWARE TO COMPLEMENT YOUR STYLE.

Custom Designed Dutch Door with 8704 Sidelites and 8754 Transom, Mahogany



8069 Dutch Door with Custom Sidelites and Transom, Prefinished White Pine

Quadrant

Door Bolt

Hardware

Quadrants or door bolts can be used to fasten both the lower and upper leaves of any Dutch door. They are available in a variety of finishes: including black, brass, antique brass, oil rubbed bronze, polished or brushed chrome, satin nickel, and more, to match your handleset and hinges.

Sidelites.

CAPTIVA

THE ADDITION OF SIDELITES AND TRANSOMS GREATLY ENHANCES THE BEAUTY OF THE ENTRANCE ALLOWING NATURAL LIGHT INTO THE HOME AND A GREATER VIEW TO THE OUTSIDE.

Modified 8043 Door with Custom Sidelites and Transom, Sapele Mahogany

8015 Door with 8702 Sidelites and Transom, Sapele Mahogany

Ordering information for Grooved Sidelites
When specifying Square Groove, V-Groove or Beaded Panels, use the letter "S" after the door style number for Square Groove, the letter “V” after the door style number for V-Groove panels and the letter “B” after the door style number for Beaded Panels as shown to the right.



8707



8707S (or V or B)



8644



8645



8646



8647



8648



8649



8650



8651



8652



8653



8654



8655



8656



8657



8658



8659



8660



8661



8662



8663



8664



8665



8666



8667



8668



8669



8670



8671



8672



8673



8674



8675



8676



8677



8678



8679

Modified 8636 Arched Pair with
Modified 8647 Sidelites, Sapele Mahogany

CAPTIVA



Arch Top Sidelites and Transoms
For a truly unique look, Round or Arched top shapes can often bring new life to an entryway.



8680 8681 8682 8683 8684 8685 8686 8687 8688



8689 8690 8691 8692 8693 8694 8695 8696 8697

8698



8699



8700



8701



8702



8703



8704



8705



8706



8707



8708



8709



8710



8711



8712



8713



8714



8715



8716



8717



8718



8719



8720



8721



8722



8723

If you are looking for divided lites in a greater thickness than our standard TDL or SDL muntin bars, they may be incorporated into door construction as an intermediate or lock rails.

Transoms.

CAPTIVA

IN BOTH EXTERIOR AND INTERIOR APPLICATIONS, TRANSOMS ALLOW FOR ADDITIONAL NATURAL LIGHT. TRANSOMS ARE OFTEN USED WITH FRENCH DOORS BETWEEN THE LIVING AND DINING ROOM, PROVIDING A SOPHISTICATED LOOK.

8307 Door with 8756 Transom, Sapele Mahogany

Rectangular Transoms

For transoms with grilles, please specify grille pattern.



8751



8754



8755



8763



8764



8765



8767



8768



8769

Shoulder Transoms

For transoms with grilles, please specify grille pattern.



8753 Shoulder



8756 Shoulder



8783



8784



8785



8786



8787



8791



8794



8796

Half Round, Elliptical and Arch Top Transoms

For transoms with grilles, please specify grille pattern. *Arch and round top transoms not available with SDL internal spacer.



8757 Half Round



8758 Elliptical



8759 Arch



8760 Half Round



8761 Elliptical



8762 Arch

Note: Transoms are available in True Divided Lite and Simulated Divided Lite.

Wood fire-rated doors and frames.

WHETHER RESIDENTIAL OR COMMERCIAL APPLICATIONS, CAPTIVA FIRE-RATED DOORS ALLOW YOU TO SEAMLESSLY MATCH THE CAPTIVA NON-RATED DOORS THROUGHOUT YOUR PROJECT. ALL OF OUR HUNDREDS OF PANEL DOOR DESIGNS AND MANY GLASS DOOR DESIGNS (SOME RESTRICTIONS ON SIZE) ARE AVAILABLE FIRE-RATED.

Fire-Rated Wood Door Frames
Our fire-rated wood door frames allow builders and architects to comply with the strictest building code requirements without sacrificing the design integrity of the project. A fire-resistant core is wrapped with wood veneers to perfectly match the non-rated door frames throughout the project. Our fire-rated door frames are available in the wood species of your choice in stain grade, paint grade and prefinished. Our frames come standard with a patented adjustable clip system for fast and simple installation.

Fast Lead Times
Fire-rated doors and frames delivered to you in 2-3 weeks from approved shop drawings.



Modified 8078 Door, Sapele Mahogany

TECHNICAL SPECS

Ratings	Wood Jambs	Metal Jambs
20, 45, 60, and 90 minute positive pressure door and jamb ratings available	Fire-rated single rabbet, double rabbet, or communicator frame available	Available for all ratings
Wood Species	**Thickness**	**Panels/Profiles**
Available in stain grade, paint grade, and prefinished	1-3/4" and 2-1/4" door thicknesses available	Available with flat or raised panels, and all sticking and panel profile designs
Design Options	**Custom Designs**	**Certification**
All Captiva panel door designs and many glass door designs (some restrictions on glass size)	Endless styles to meet your needs and perfect for unique designs or historical reproduction	Warnock Hersey Label, certified through Intertek Testing Service
Applicable Standards: ASTM E-152-81a, UL10(c)(1998), UBC 7-2(1997), UL10(b)(1997) NFPA 252(1999), ASTM E-2074(2000),CAN/ULC S104 1980 (R1985)		

CAPTIVA

Fire-rated wood jambs.

Captiva's fire-rated frames are available in 20-45-60-90 minute ratings. This innovative frame system helps ease the installation process through the use of adjustable metal clips, which provide additional strength while avoiding any exposed fasteners. This frame system also allows for easy removal and re-installation without damaging the finished frame. Intumescent edging is built into the jamb. During a fire, this edging expands to seal the room.



Double Rabbet, 90-Minute, with Clips (clip removed and clips attached)

Single Rabbet, 60-Minute

Double Rabbet, 60-Minute

Single Rabbet, 90-Minute

Double Rabbet, 90-Minute

FIRE-RATED DOOR CORE

20-Minute Fire-Rated Door Cross Section

The fire core is installed between the panels, offering real stile and rail door construction. Intumescent edging goes around the fire core. During a fire, this edging expands to seal the room.

45-60-90-Minute Fire-Rated Door Cross Section

The door faces surrounding the core are built using actual panel, stile, and rail components to match the profiles of 20 minute and non-rated doors. Intumescent edging goes around the fire core. During a fire, this edging expands to seal the room.

Captiva Fire-Rated Wood Doors				
Rating	Maximum Door Size	Min Door Thickness	Listing Category	Max Glass Area (sq in)*
20-Minute	4/0 x 8/0 Single 7/0 x 8/0 Pair	1-3/4"	Category A, Category B Neutral Pressure	1,296
45-Minute	4/0 x 8/0 Single 7/0 x 8/0 Pair	1-3/4"	Category A, Category B	1,296
60-Minute	4/0 x 8/0 Single 7/0 x 8/0 Pair	1-3/4"	Category A, Category B	100†
90-Minute	4/0 x 8/0 Single	1-3/4"	Category A, Category B	100†

**Glass must not be within 5" of edge or opening (bore) or be in a panel*
†For 60 and 90 minute, glass must be in a metal frame.

Fire-Rated Wood Jambs	
Rating	Maximum Jamb Size
20-Minute	4/0 x 8/0 Single 8/0 x 8/0 Pair
45-Minute	4/0 x 8/0 Single 8/0 x 8/0 Pair
60-Minute	4/0 x 8/0 Single 8/0 x 8/0 Pair
90-Minute	4/0 x 8/0 Single 8/0 x 8/0 Pair

Metal jambs are also available for all single door applications and double door applications

Screen, storm and combination doors.

UNLIKE MODERN ALUMINUM OR VINYL STORM DOORS THAT DETRACT FROM THE STYLE OF THE HOUSE, CAPTIVA SCREEN, STORM, AND COMBINATION DOORS ARE DISTINCTIVE, YET SUBTLE, COMPLEMENTING THE EXISTING DOOR OR ARCHITECTURE. THESE DOORS ARE A GREAT WAY OF OPENING YOUR HOME UP TO THE OUTDOORS. NOT ONLY DO THEY ADD DECORATIVE FLAIR TO YOUR ENTRY WAY, BUT THEY ALSO PROTECT THE ENTRY DOOR AND KEEP BUGS OUT IN THE SUMMER WHILE ALLOWING FRESH AIR IN.

8802 Combination Door with 8701 Sidelites and 8758 Transom, Primed

Screen Door Detail



Storm Door Detail

Captiva Select Combination Door

Door Thickness Options:
Screen and Storm Doors: 1-3/4", 1-3/8", 1-1/8"*
Combination Doors: 1-3/4", 1-3/8"

Prehanging: Available for Screen, Storm, and Combination doors.

Screen Choices:



Bronze

Aluminum Charcoal



Fiberglass Charcoal

Combination Door Hardware:
Low profile combination door hardware makes it easy for you to switch between screen and glass inserts.

Veneers: 1/8"

Warranty: 1 Year **no warranty on 1-1/8" doors*

Combination Door Detail

Captiva Select



Captiva Traditional



Screen, Storm and Combination Doors.



8801



combination door available with full glass

8802



8803R S



8804A S



8805



8806A S



8807R S



8808



8809



8810



8811 A



8812



8813



8814V/B



8815V/B A



8816V/B



8817V/B A

Screen Doors only.



8818



8819



8820



8821



8822R S

See hardware options on page 50.

Storm and screen door hardware.

COMPLETE YOUR COMBINATION DOOR WITH THE APPROPRIATE HEAVY DUTY HARDWARE. OUR SUPPLIERS OFFER A VARIETY OF FINISHES TO COMPLEMENT YOUR STYLE. POPULAR FINISHES ARE BLACK, OIL RUBBED BRONZE, SATIN NICKEL AND CHROME.

Deltana Storm / Screen Handleset (Exterior Knob / Interior Lever), Arched Plate, Satin Nickel

Deltana Storm / Screen Handleset (Exterior Knob / Interior Lever), Square Plate, Black

Heavy Duty Storm / Screen Door Closer (Available in Single or Double Cylinder)

Hardware	Available Finishes
Deltana Handlesets	Polished Brass, Antique Brass, Oil Rubbed Bronze, Brushed Nickel, Antique Nickel, Paint Black, Polished Chrome, Brush Chrome PVD Brass
Closers	White, Almond, Sandstone, Black, Bronze
Wind Chains	Black, White, Stainless Steel

Retractable screens.

CUSTOM DESIGN DOOR SCREENS OFFER THE BEST OF BOTH WORLDS - UNINTERRUPTED VIEWS AND NATURAL VENTILATION COMBINED WITH PROTECTION FROM INSECTS AND HARSH GLARE OF THE SUN. THE RETRACTABLE SCREEN REMAINS OUT OF SIGHT UNTIL YOU NEED IT, SO YOU CAN SHOW OFF YOUR BEAUTIFUL CAPTIVA DOOR ALL YEAR LONG.



Screen housing concealed in door frame

With our custom millwork capabilities we can preinstall a retractable screen on your Captiva door unit prior to shipping. You can choose a basic surface application or for the ultimate smooth look, a Phantom screen can be concealed in the doorframe. It doesn't matter if your Captiva door is an inswing or outswing, single, French, sidelite or Dutch door unit, there is a screen solution for each.

Concealed screen option adds to the unit width and requires special components. Please ask our Captiva specialist for more information on this option.

Captiva Wood Doors uses Phantom® Retractable Screens.

CAPTIVA



Screen housing applied to surface

PHANTOM® SCREENS

Modified 8417 Double Door Unit, Sapele Mahogany

> Not knowing when the dawn will come I open every door.
> - Emily Dickinson

Modified 8028 Door with 8701 Sidelites and Custom Transom, Fir

Modified 8408 Door, Walnut

Custom Designed Flush Door, Red Oak

Custom designs.

CAPTIVA

BECAUSE EVERY DOOR THAT WE MANUFACTURE IS MADE SPECIFICALLY FOR YOU, HERE'S YOUR CHANCE TO BE CREATIVE... CHOOSE SAPELE STILES AND RAILS WITH MAPLE PANELS... OR TURN ONE OF OUR STANDARD PANEL DOORS INTO A GLASS DOOR BY SWAPPING THE WOOD PANELS WITH GLASS. THE SKY'S THE LIMIT SO ALLOW YOUR CREATIVE JUICES TO FLOW!

8020 Door, Cherry Stiles and Rails, Maple Panels

Mix 'n Match Species
Pick a standard door and create a custom look. There's no reason why the species of wood used for the stiles and rails of a door need to match the panels. In the example above, the builder chose our 8020 panel door with cherry stiles and rails and maple panels.

Modified 8069 Door (Glass Inserts) with 8760 Transom

Swap Panels and Glass
While browsing our door designs, keep in mind that any panel can be replaced with glass. In the example above, the homeowner chose a pair of 8069 panel doors and replaced the top four panels on each door with insulated glass.

Design your own door.

Custom Designed Doors
In addition to the door designs shown throughout this catalog, with Captiva the possibilities are endless. Simply provide us with a drawing, photograph, or sketch and we will custom design and build the door of your dreams. This is a perfect solution for historical replication or signature projects.

	Captiva **Select Doors**	Captiva **Traditional Doors**
STILES		
Construction		
Stave core with 1/8" veneer	●	○
Stave core with 1/4" veneer	○	●
Solid cap on top stiles		●
Size		
Special Widths Available	○	○
RAILS		
Construction		
Stave core with 1/8" veneer	○	○
Stave core with 1/4" veneer	○	●
Solid	●	○
Size		
Special Widths Available	○	○
PANELS		
Raised Panels		
One Solid Panel		○
Two Floating Panels	●	●
Flat Panels		
One Solid Panel	●	●
Book Match Panels (required to meet AWI premium grade with transparent finishes)	○	○
DOOR SIZES		
Maximum Width		
3'6"	●	●
Unlimited	○	○
Maximum Height		
8'0"	●	●
Unlimited **Note: doors over 3/6 x 8/0 do not meet warranty*	○	○
SANDING		
Assembled door is sanded with a patented CPSII wide belt sander to remove cross grain.	●	●
JOINERY		
Beaded Mortise & Tenon Joints	●	
Traditional Mortise & Tenon Joints		●
DOOR DESIGNS		
Specified Door Designs	●	●
Unlimited Door Designs	○	○
DOOR SHAPES		
Specified Door Shapes	●	●
Unlimited Door Shapes	○	○
PREFINISHING		
4 mil Double Prime	○	○
4 mil Clear Coat	○	○
Fortress Coating Systems™ Stain	○	○
Fortress Coating Systems™ Paint	○	○
WARRANTY		
2 Year Warranty (10 Year Interior)	●	
5 Year Warranty (10 Year Interior)	○	●
10 Year Extended Warranty		○
10 Year Extended No Overhang Warranty		○

● Standard

○ Optional (may void warranty in certain sizes or construction types)

Above chart does not apply to screen, storm, and combination doors. Captiva Flush Series doors are constructed with a plywood core, hardwood edges and 1/4" wood veneers and come with a standard 5 Year Warranty.

CAPTIVA

Jambs, casing and sills.

CAPTIVA

JAMB
We offer single rabbet and double rabbet jambs in 4-5/8", 6-5/8" or any custom width. Available in matching species, clear or primed pine. ***See page 50 for our Fire Rated Jambs.***

Single Rabbet Jamb (Interior)
4-5/8"

Single Rabbet Jamb (Interior)
6-5/8"

Double Rabbet Jamb (Interior)
4-5/8"

Single Rabbet Jamb
with Weatherstrip 6-5/8" (Exterior)

CASING
Available in clear or primed pine, or matching species. All patterns and thicknesses are available for exterior or interior use. Below are just three of the most common profiles, ask your sales rep to see our full library of hundreds of casing options. Custom casing is available in any design, species or size.

Primed FrameSaver® Jamb
with Weatherstrip, up to 9-1/8" (Exterior)

Primed 20-minute Fire Door Jamb
4-5/8" to 9-1/4" (Exterior)

Brickmould Casing
1-1/8" x 1-7/8"

Flat Casing
1" x 3-1/2"

Custom Casing (N1932)
1-5/8" x 3-1/2"
Custom casings are available in any design, species or size.



DOOR STILE
(Ovolo sticking shown, see page 15)

DOOR PANEL
(Bevel profile shown, see page 14)

MAHOGANY SILLS

Inswing Sill (Oak or Sapele Mahogany)
1-11/16" x 9-1/4"

Outswing Nantucket Sill (Sapele Mahogany)
1-5/8" x 7-1/4"

Inswing Nantucket Sill (Sapele Mahogany)
2-1/8" x 9"

Outswing Nantucket Sill (Sapele Mahogany)
1-5/8" x 9-1/4"

COMPOSITE SILLS: ENDURA Z SERIES

Z-AC Articulating Cap Sill
The Z-AC automatically self-compensates to create the perfect door seal under any conditions. The Z-AC helps overcome most problems associated with either inconsistency of the rough opening or margins between the sill and the door. Can only be used with 1-3/4" door thickness and non-standard specialized sweep.

Cap rises to engage door bottom

Bumper Outswing Sill
The ultimate protection in high exposure areas and severe weather conditions. The seal increases with pressure against the door, creating a tough seal against air and water infiltration. Available in Mill or Bronze finish.



Z Classic Sill
The Z-Lineal Sill features the classic version of a full continuous extruded substrate for ultimate flexibility and custom fabrication. Can only be used with 1-3/4" door thickness. Length up to 3'0" (single door) or 6'0" (double door). Available in Mill or Bronze finish.

8301 Door with 8703 Sidelites, Sapele Mahogany

SWEEP OPTIONS

Z-AC SWEEP
For 1-3/4" doors with Z-AC Sill

STANDARD: FIVE FIN SWEEP
For 1-3/4" and 2-1/4" doors

411 AUTOMATIC SWEEP
For 1-3/4" and 2-1/4" doors
(for single doors only)

PEMKO ADA SILL THERMAL BREAK
ADA Compliant Sills incorporate a dam that meets ADA height requirements and creates a better seal between the door and sill. A thermal sill will prevent heat or cold temperatures from transferring from the outside of the house to the inside of the house.

ALUMINUM ADA SILLS



AT600 & 601 (HANDICAP)

AT500 (HANDICAP)



AT701 & 801 (HANDICAP)

AT599 (OUTSWING)

Hardware.

CAPTIVA

ACCESS CONTROL AT ALL ENTRANCES AND EXITS TO A HOME OR BUILDING IS AN IMPORTANT PART OF THE DOOR SYSTEM. IN RESIDENTIAL SETTINGS, A HOMEOWNER'S NUMBER ONE CONCERN IS SECURITY, BUT THEY ARE ALSO LOOKING FOR HARDWARE THAT IS DECORATIVE, COMPLEMENTING THE DOOR AND STYLE OF THEIR DÉCOR. YEARS AGO THERE WAS NOT NEARLY THE SELECTION OF HARDWARE THAT THERE IS AVAILABLE TODAY.

Residential Handle Set, Bronze

Folding Door Hardware, Brass

Exterior Handle Sets
A handle set provides security while the styles and finishes complement the door. We offer a wide array of residential hardware available from Rocky Mountain, Baldwin, Emtek, Ashley Norton, Schlage and many other high quality suppliers.

Interior Hardware
Interior door hardware enhances your interior doors with hundreds of design and finish combinations to choose from. We offer interior door hardware from Rocky Mountain, Baldwin, Emtek, Ashley Norton, Schlage and many other high quality suppliers.

Hinges
We offer a wide selection of hinges including 3-1/2", 4-1/2" and 5" in plain bearing and ball bearing, in a whole array of finishes to ensure that your door both functions perfectly and is aesthetically coordinated.

I've got the key to my castle in the air,
but whether I can unlock the door remains to be seen.
– Louisa May Alcott, *Little Women*

Multi-Point Hardware with Handle Set, Bronze

Commercial Hardware (Exit Device and Door Closer), Bright Brass

Large Selection of Hinges

Multi-Point Hardware
Multi-Point hardware systems from Trilennium provide more than just security, they offer homeowners better door closure and sealing than single point locks. The locking mechanism features a durable and ergonomic design, allowing for easy door operation. It also meets or exceeds the most stringent hurricane codes (Exceeds ASTM Grade 40 & DP95).

Commercial Hardware
We have an extensive inventory of Residential and Commercial hardware in stock available for your use with our Captiva doors. For commercial applications we can pre-machine our doors for your hardware or we can supply new hardware from one of our many lines available - Cylindrical or Mortise locks from manufacturers such as Schlage, Sargent, Corbin, Omnia, Ashley Norton or Baldwin; Exit devices from Von Duprin, Sargent, Precision and many others. Access control and electronic hardware are also available when required.

Popular hardware designs.

Following is a small sample of door hardware from our suppliers. Popular finishes are Black, Oil Rubbed Bronze, Satin Nickel and Chrome.

Rocky Mountain

Flute Pull

Flute Leverset

Flute Knobset

Convex Knobset

Convex Leverset

Corbel Knobset

Mack Knobset

Curved Leverset

Paris Entryset

Paris Passage Set

Baldwin

Atlanta Entryset

Chicago Entryset

Denver Entryset

Baltimore Entryset

Barclay Entryset

Bristol Entryset

Hamilton Entryset

Lancaster Entryset

Pasadena Entryset

Egg Knob

5064 Knob

Filmore Knob

5069 Knob

Emtek

Lausanne

Davos

Zeus

Arts & Crafts

Stuttgart Lever

Octagon Knob

Helios Lever

Round Knob

Adams

Wilshire

Melrose

Wilmington

Merrimack Lever

Egg Knob

Cortina Lever

Norwich Knob

Keyless entry and electronic hardware.

Baldwin

Baldwin

Emtek

Emtek

Multi-point locking system.

OPERATING AS ONE, ALL THREE OF THE TRILENNIUM® MULTI-POINT LOCKING SYSTEM'S LATCHES ENGAGE WHEN THE DOOR IS CLOSED, ACTIVATING WITH JUST ONE MOVEMENT OF THE KEY OR THUMBTURN, AND RELEASING WITH A SINGLE DOWNWARD TURN OF THE INTERIOR HANDLE. WHEN ACTIVATED, EACH LATCH BECOMES A DEADBOLT THAT CAN'T BE COMPROMISED, OFFERING INCREASED SECURITY, HIGHER PERFORMANCE AND PEACE OF MIND.

ROCKY MOUNTAIN HARDWARE

Rocky Mountain Hardware For Multi-Point Locks

Mack | Fleur-de-lis | Convex | Corbel

EMTEK® ASSA ABLOY

Emtek Hardware For Multi-Point Locks

Arched | Modern | Rectangular | Tuscany

TRILENNIUM® MULTI-POINT LOCKING SYSTEMS

Trilennium Hardware For Multi-Point Locks

Eclipse | Pinnacle | Horizon | Grip Set

This is a small sample of the multi-point hardware styles that are available.

For more information on the Trilennium Multi-Point Locking System, visit www.enduraproducts.com.

CAPTIVA

Commercial capabilities.

CAPTIVA WOOD DOORS ARE NOT ONLY INSTALLED IN HOMES, BUT ALSO IN COMMERCIAL BUILDINGS THROUGHOUT NEW ENGLAND: RESTAURANTS, HOTELS, SCHOOLS, OFFICE BUILDINGS, HOSPITALS, BANKS, GOVERNMENT BUILDINGS AND COUNTRY CLUBS. CAPTIVA WOOD DOORS ARE BUILT FOR QUALITY AND ENDURANCE TO ENSURE THEY WILL TOLERATE DAILY WEAR AND TEAR OF PUBLIC USE. WE HAVE THE EXPERTISE AND EXPERIENCE IN WORKING WITH ALL PARTIES INVOLVED IN THE CONSTRUCTION PROCESS AND CAN SUPPLY THE PROPER HARDWARE TO USE FOR COMMERCIAL APPLICATIONS.

Modified 8601 Double Door Unit, Sapele Mahogany

8601 Door with 8701 Sidelites, 5751 Transom and Custom Ceiling Panel, Sapele Mahogany

Custom Double Door Unit with Custom Transom, Sapele Mahogany

8321 Door, Sapele Mahogany

8627 Double Door Unit, Sapele Mahogany

Prefinishing.

Fortress COATING SYSTEMS™

SAVE TIME AND JOB SITE LABOR COSTS BY HAVING US PREFINISH YOUR CAPTIVA DOORS. WE OFFER STATE-OF-THE-ART FORTRESS COATING SYSTEMS™ PREFINISHING ON ALL OUR DOORS. CHOOSE A SUPERIOR PRIMED OR CLEAR COAT FINISH, STAIN, OR ONE OF OUR SHERWIN WILLIAMS PAINT COLORS. WE OFFER 10 STOCK STAIN COLORS, 13 STOCK PAINT COLORS, 40 CUSTOM PAINT COLORS, OR YOU CAN CHOOSE ANY SHERWIN WILLIAMS COLOR NUMBER.

Option 1: Clear Coat

4 mil Clear Coat
Our durable 4 mil Ilva clear coat offers UV protection and saves time on the job site with a three step finish process (impregnator and two top coats) with multiple sand and preparation steps.
(See page 66 for use and care)

Option 2: Primed

4 mil Double Prime
For doors that are intended to be painted, let us save you a step. We double prime doors with a high quality primer.

Option 3: Stain

Ilva water-based wood coatings are specially formulated for coating and protecting exterior wood doors. ILVA, based in Italy, is the foremost name in the world when it comes to the research, development and manufacture of high-quality wood coatings. Stain will not crack, flake, chalk, blister or lift from wood substrates and will protect wood from mold, UV rays, water and pollutants. Fortress Coating Systems™ offers 4 stock colors of Ilva Klima® stain.

WOOD SPECIES	STOCK STAIN COLORS: Clear	Fir	Teak	Dark Walnut	Mahogany
Utile Mahogany					
White Oak					
Fir					

Due to variations that may occur in the printing process of this catalog, as well as how stain colors vary on different wood species, these swatches are an approximate color match. Please see your sales representative for actual stain samples on the species of wood you select.

Maintain your finish with Klima's Aquatech Retoning Liquid (TN030), available upon request.

ADDITIONAL STOCK STAIN COLORS

WOOD SPECIES

	White Sand	Black Storm	Autumn Burgundy	Storm Cloud	Coastal Blue	Forest Green
Utile Mahogany						
White Oak						

Option 4: Paint

Fortress Coatings Systems™ offers 13 stock colors of Sherwin Williams paint or you can provide any Sherwin Williams or Benjamin Moore name and number. Custom matching is also available with physical paint sample and extended lead time.

STOCK PAINT COLORS

SW 2838 Polished Mahogany	SW 2848 Roycroft Pewter	SW 6243 Distance
SW 6244 Naval	SW 6258 Tricorn Black	SW 6454 Shamrock
SW 6502 Loch Blue	SW 6711 Parakeet	SW 6799 Soar
SW 6868 Real Red	SW 6883 Raucous Orange	SW 6902 Decisive Yellow
SW 7005 Pure White	SW 7048 Urban Bronze	SW 7510 Chateau Brown
SW 7526 Maison Blanche	SW 7593 Rustic Red	SW 7669 Summit Gray

Warranty: Captiva interior doors.

CAPTIVA

10 YEAR WARRANTY - CAPTIVA SELECT/TRADITIONAL INTERIOR DOORS (NON-FIRE-RATED)
5 YEAR WARRANTY - CAPTIVA SELECT/TRADITIONAL INTERIOR DOORS (20/45/60/90 MINUTE FIRE-RATED)

Captiva Wood Doors warrants to the original purchaser of an interior Captiva Wood Door that the product shall be free from defects in material and workmanship. The warranty period shall commence on the date of delivery.

The warranty periods are as follows: Captiva Select/Traditional (non-fire-rated): 10 years
Captiva Select/Traditional (20/45/60/90 minute fire-rated): 5 years

Should the product fail to conform to this warranty within the warranty period, Captiva Doors will, at its option, (i) repair the product, (ii) replace the product in its original state of purchase, or (iii) refund the price originally paid to Captiva for the product.

This Warranty Does Not Cover:

1) Damage caused by failure to comply with the instructions in the Captiva Door Use & Care Guide.
2) Any door that is over 42" in width and/or 96" in height.
3) Warp that does not exceed ¼" in the plane of the door itself for doors not over 36" x 84". Warp that does not exceed 3/8" in the plane of the door itself for doors over 36" x 84". *Note: Captiva may defer repairing or replacing the product for up to 12 months from the date of installation or claim, as the warp may prove temporary as the door adjusts to weather conditions. This deferral will not count against the warranty period.*
4) Damage caused by anyone other than a Captiva representative while attempting to repair the product.
5) Damage caused by improper installation.
6) Damage caused by trimming more than one inch total of the product.
7) Doors trimmed at the top, more than 1" at bottom, or more than ¼" at each side.
8) Damage caused by nonalignment or bow in the frame or jamb in which the door is hung.
9) Natural variations in color, texture, character, or grain of wood.
10) Variations in gloss level, texture, or appearance resulting from field finishing.
11) Panel shrinkage or expansion due to natural characteristics of wood movement.
12) Gaps in stile and rail joints of 1/16" or less.
13) Doors containing dual wood species of face veneers and/or planks on each side.
14) Damage caused by failing to seal all six sides and hardware cutouts of the door. Doors must be sealed within 72 hours of fitting and/or hanging.
15) Damage caused by any cause beyond the control of Captiva, including, but not limited to, normal wear and tear, weathering, customer misuse/abuse/neglect, or acts of nature.
16) Doors shipped out of the continental US.
17) Any costs or charges relating to the replacement of the product, including transportation, shipping, removal, finishing, and installation.
18) Damage caused by failure of glazing, if the manufacturer's warranty period for that glazing has expired.

Custom Door with Beaded Panels

Warranty Claims
Warranty claims must be submitted within 30 days of discovery of the believed issue. Claims must be submitted via email to techsupport@northatlanticcorp.com or in writing to Captiva Wood Doors Warranty Claims, 1255 Grand Army Hwy, Somerset, MA, 02726 and must include proof of purchase of product.

Express Limitation
This warranty sets forth Captiva's maximum liability for its products. No other warranty, expressed or implied, with respect to its product is made. Captiva's liability is limited to the refund of the purchase price or repair or replacement of the defective product. This warranty is non-transferable.

Disclosure
Formal acceptance of this warranty is not required. By accepting delivery of the product, the customer is also accepting the terms and conditions of the Captiva Doors limited warranty.

CAPTIVA Warranty: Captiva exterior doors.

2 YEAR WARRANTY - CAPTIVA SELECT DOORS*
5 YEAR WARRANTY - CAPTIVA TRADITIONAL DOORS*

Captiva Wood Doors warrants to the original purchaser of an exterior Captiva Wood Door that the product shall be free from defects in material and workmanship. The warranty period shall commence on the date of delivery.

The warranty periods are as follows: Captiva Select Series: 2 years*
Captiva Traditional Series: 5 years*

*Extended warranty period is available. See Extended Warranty documentation for details.

Should the product fail to conform to this warranty within the warranty period, Captiva Doors will, at its option, (i) repair the product, (ii) replace the product in its original state of purchase, or (iii) refund the price originally paid to Captiva for the product.

This Warranty Does Not Cover:

1) Damage caused by failure to comply with the instructions in the Captiva Door Use & Care Guide.
2) Damage caused by failure to provide an adequate overhang to protect the door from the elements. See the Use & Care Guide for overhang requirements. Doors that are installed with multi-point locking hardware may not require overhang protection. Multi-point locking hardware will help stabilize the door and prevent warp.
3) Any door that is over 42" in width and/or 96" in height.
4) Warp that does not exceed ¼" in the plane of the door itself for doors not over 36" x 84". Warp that does not exceed 3/8" in the plane of the door itself for doors over 36" x 84". *Note: Captiva may defer repairing or replacing the product for up to 12 months from the date of installation or claim, as the warp may prove temporary as the door adjusts to weather conditions. This deferral will not count against the warranty period.*
5) Damage caused by anyone other than a Captiva representative while attempting to repair the product.
6) Damage caused by improper installation.
7) Damage caused by trimming more than one inch total of the product.
8) Doors trimmed at the top, more than 1" at bottom, or more than ¼" at each side.
9) Damage caused by nonalignment or bow in the frame or jamb in which the door is hung.
10) Natural variations in color, texture, character, or grain of wood.
11) Variations in gloss level, texture, or appearance resulting from field finishing.
12) Panel shrinkage or expansion due to natural characteristics of wood movement.
13) Gaps in stile and rail joints of 1/16" or less.
14) Doors containing solid wood panels wider than 14".
15) Doors containing dual wood species of face veneers and/or planks on each side.
16) Damage caused by failing to seal all six sides and hardware cutouts of the door. Doors must be sealed within 72 hours of fitting and/or hanging. The tops of all outswing doors must be flashed for weather.
17) Damage caused by temperature buildup where a storm door is present. Screen and storm doors are not covered under warranty.
18) Damage caused by any cause beyond the control of Captiva, including, but not limited to, normal wear and tear, weathering, customer misuse/abuse/neglect, or acts of nature.
19) Doors shipped out of the continental US.
20) Any costs or charges relating to the replacement of the product, including transportation, shipping, removal, finishing, and installation.
21) Damage caused by failure of glazing, if the manufacturer's warranty period for that glazing has expired.
22) Any door over 7'6" must have a multi-point lock

Extended warranty

5 YEAR EXTENDED WARRANTY - AVAILABLE ON CAPTIVA SELECT DOORS ONLY
The 5 Year option must be requested at the time of quoting/ordering the door unit. The extended warranty if requested is offered at an additional cost.

10 YEAR EXTENDED WARRANTY - AVAILABLE ON CAPTIVA TRADITIONAL DOORS ONLY
The warranty described above is extended for a period of 10 (ten) years with the additional requirement of adding multipoint locking hardware, such as Trilennium, that provides a minimum of three latching points on the lock edge or top and bottom of the door. The 10 Year option must be requested at the time of quoting/ordering the door unit. The extended warranty if requested is offered at an additional cost.

Warranty Claims
Warranty claims must be submitted within 30 days of discovery of the believed issue. Claims must be submitted via email to techsupport@northatlanticcorp.com or in writing to Captiva Wood Doors Warranty Claims, 1255 Grand Army Hwy, Somerset, MA, 02726 and must include proof of purchase of product.

Express Limitation
This warranty sets forth Captiva's maximum liability for its products. No other warranty, expressed or implied, with respect to its product is made. Captiva's liability is limited to the refund of the purchase price or repair or replacement of the defective product. This warranty is non-transferable.

Disclosure
Formal acceptance of this warranty is not required. By accepting delivery of the product, the customer is also accepting the terms and conditions of the Captiva Doors limited warranty.

NO OVERHANG WARRANTY - CAPTIVA TRADITIONAL DOORS
No Overhang 5 Year Warranty. Available when requested at an additional cost and requires 3-Point Locking System.

No Overhang 10 Year Warranty. Warranty must be requested at time of quoting/ordering. Certain restrictions apply in addition to standard warranty terms.

Use and care guide.

CAPTIVA

DOOR HANDLING AND STORAGE

1) Doors should be handled with clean gloves to prevent leaving dirt and oil stains on the door face.
2) Do not drag or slide doors along any surface that could damage the door. Do not drag or slide doors across each other.
3) Doors must be stored in a dry, ventilated area in an enclosed building. Never store doors outside.
4) Doors should be stored flat on a level surface. When stacking doors, place a 2x4 at the top and bottom of each door, 12" from the edge. Place a third 2x4 in the middle for a center support. Cover doors to keep clean, but ensure proper air circulation exists.
5) Never lean doors against a wall.
6) Never store doors in direct sunlight.
7) If doors are to be stored for longer than one week, all six sides of the doors must be sealed with a non-water based sealer or primer to prevent excessive moisture penetration or drying.

DOOR FITTING AND HANGING

1) Give doors sufficient time to acclimate to the humidity of the surrounding area before hanging. In areas of extreme humidity, allow for a minimum of 72 hours.
2) When hanging a door, allow clearance for swelling of the door or frame in extremely damp, high humidity environments. Adequate clearance ranges from 1/16" to 1/8" in width and height.
3) If trimming is needed, trim no more than 1" at bottom of door and ¼" at each side. Do not trim the top of the door.

OVERHANG GUIDELINES

1) An adequate overhang will help minimize damage caused by exposure to the elements. Adequate overhang length is a minimum extension of one-half the distance from the bottom of the door to the bottom of where the overhang begins, and at least one and half times the width of the door.
2) If you are unable to achieve an adequate overhang, please consult your Captiva representative. We offer limited warranties for doors without overhangs that meet specific requirements.

DOOR FINISHING

1) Avoid use of dark stains or dark paint in areas exposed to direct sunlight.
2) Prior to finishing, sand all surfaces of the door using the appropriate grit sandpaper. Sand the door following the direction of the grain. Ensure that all marks, fingerprints, and scratches are removed.
3) Prior to staining, apply a clear sanding sealer or conditioner in order to improve finished look.
4) Carefully seal all edges including the top and bottom of the door and areas routed for hardware with a minimum of three finish coats of a high quality paint or varnish.
5) When finishing glazed doors, apply top coat generously to bridge between wood and glass. Lap paint 1/16" to protect against moisture penetration.
6) The tops of all outswing doors must be flashed for weather.
7) Exterior sealers must contain UV inhibitors to protect the door from sunlight.
8) Carefully follow instructions from the manufacturer of the finish.

FINISH MAINTENANCE

1) Exterior sealers will weaken over time due to exposure and will require annual maintenance. Inspect door at least once per year and refinish as necessary.
2) Signs that your door requires finish restoration include dryness, raised grain, minor surface checks, dark streaks, or a whitish cast.
3) Please contact a Captiva representative if you have any questions/concerns about finish maintenance.

Maintain your finish with Klima's Aquatech Retoning Liquid (TN030), available from your sales rep.

NO OVERHANG WARRANTY NOW AVAILABLE: CAPTIVA TRADITIONAL SERIES ONLY

No Overhang 5 Year Warranty
Available when requested at an additional cost and requires 3-Point Locking System.

No Overhang 10 Year Warranty.
Warranty must be requested at time of quoting/ ordering. Certain restrictions apply in addition to standard warranty terms.



REQUIRED OVERHANG

Dimension A (length of overhang) must be equal to or greater than ½ of dimension B (distance from bottom of door to the base of the overhang).

CAPTIVA Architectural specifications.

ARCHITECTURAL SPEC:
Door construction, unless specified differently shall include a stave core method that uses a laminated stable wood core sandwiched between veneers. Captiva Traditional Doors use 1/4" solid veneers on all stiles and rails with matching edges to help prevent warp or distortion. Captiva Select Doors use laminated stable wood cores sandwiched between 1/8" veneers. A unique “beaded tenon” inserted by hand is used instead of dowels creating a similar mortise and tenon connection on all stiles and rails. All raised panels used in both methods shall be manufactured using double panel technology, which virtually eliminates cracking panels by allowing independent movement. Both types of construction are time tested methods and backed by our full warranties.

Multi-lite doors, as true divided lite (TDL), available in Captiva Traditional or Select, with 1/8" single pane, 5/8" IG glass, or 5/8" Low E glass and wood stops applied to the exterior. Muntin bar widths are 1", 1-1/8", and 1-3/8". Simulated divided light (SDL) with 7/8" SDL bar, and 11/16" duplex muntins. Wood bars applied to both faces of door with the loose stop toward the exterior. SDL is available in Captiva Select doors only.

AIA/CES COURSE: CWD2019 Stile & Rail Door Construction
This course shows the different styles of wood doors, discusses how stile and rail doors are constructed, introduces the various components and the best wood species to select. The course also highlights other components added to the door that are necessary to make the “door system” functional.
North Atlantic Corp Provider # 40107222
Learning Units: 1 | LU



CAPTIVA BUILD

- Design and quote custom stile and rail doors, jambs, and mouldings
- Specify dimensions for each aspect of the door to customize your style
- Watch the elevation and price adjust as you build your door
- Add jambs, sills, sidelites, and transoms to visualize your complete opening
- Choose a moulding from our library of over 5,000 profiles
- Print detailed reports of your quotes and elevations

Create your account at

build.CaptivaCustom.com

> Follow your bliss and the universe will open doors where there were only walls. - Joseph Campbell

Cleary MILLWORK

Wholesale Doors
COMMERCIAL DIVISION

1255B Grand Army Highway Somerset, MA 02726 | 800-899-4533

120 Defreest Drive, Suite 19, Troy, NY 12180 | 800-350-0448

2049 Silas Deane Highway, Suite 1A, Rocky Hill, CT 06067 | 800-486-7600

WHOLESALE DOORS
220 Forbes Road, Suite 403, Braintree, MA 02184 | 800-225-4252

www.clearymillwork.com